Wood Science and Technology

Journal for Wood and Pulp

of the International Academy of Wood Science (IAWS)

Editor: F. F. P. Kollmann, München

Editorial Board: F. E. Dickinson, Richmond
K. Kratzl, Wien
W. Liese, Hamburg
V. Nečesaný, Bratislava
H. Schulz, München
T. E. Timell, Syracuse

Vol. 9 · 1975

Springer-Verlag
New York · Heidelberg · Berlin

The exclusive copyright for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, is transferred to the publisher.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer-Verlag New York · Heidelberg · Berlin – Mercedes-Druck, Berlin

Printed in Germany – Copyright © by Springer-Verlag Berlin Heidelberg 1975

Contents

Originals

Bariska, M.: Collapse Phenomena in Beechwood during and after NH_3-Impregnation. 293

Bariska, M., and Popper, R.: Ammonia Sorption Isotherms of Wood and Cotton Cellulose. 153

Barnett, J. R., and Maddern Harris, J.: Early Stages of Bordered Pit Formation in Radiata Pine. 233

Borgin, K., Faix, O., and Schweers, W.: The Effect of Aging on Lignins of Wood. 207

Borgin, K., Parameswaran, N., and Liese, W.: The Effect of Aging on the Ultrastructure of Wood. 87

Davidson, J.: Use of Principal Components, Factor Analysis and Varimax Rotation to Describe Variability in Wood of Eucalyptus deglupta Blume. 275

DeBonis, A. L., and Bodig, J.: Nailed Wood Joints under Combined Loading. 129

Fairbridge, C., Ross, R. A., and Spooner, P.: A Thermogravimetric Study of the Pyrolysis of the Bark and Chemically-Modified Bark of Jack Pine, Pinus banksiana Lamb. 257

Foschi, R. O.: The Light-Gap Technique as a Tool for Measuring Residual Stresses in Bandsaw Blades. 243

Gofas, A., and Tsoumis, G.: A Method for Measuring Cellular Characteristics of Wood. 145

Kirk, T. K., Chang Hou-min, and Lorenz, L. F.: Topochemistry of the Fungal Degradation of Lignin in Birch Wood as Related to the Distribution of Guaiacyl and Syringyl Lignins. 81

Kübler, H., and Chen, T.-H.: Prevention of Crosscut and Heating Heart Checks in Log Ends. 15

Kutscha, N. P., Hyland, F., and Schwarzmann, J. M.: Certain Seasonal Changes in Balsam Fir Cambium and its Derivatives. 175

McKenzie, W. M., and Karpovich, H.: Wear and Blunting of the Tool Corner in Cutting a Wood-Based Material. 59

McKenzie, W. M., and Karpovich, H.: Measured Strains in Slow Linear Veneer Cutting: Effects of Nosebar Form and Gap. 213

Murmanis, L.: Formation of Tyloses in Felled Quercus rubra L. 3

Musha, Y., and Goring, D. A. I.: Distribution of Syringyl and Guaiacyl Moieties in Hardwoods as Indicated by Ultraviolet Microscopy. 45

Orosz, I.: Derivation of Tensile Strength Ratio by Second-Order Theory. 25

Parameswaran, N., and Bauch, J.: On the Origin of Phenolic Compounds in the Wood Rays of Abies alba. 165

Ranta-Maunus, A.: The Viscoelasticity of Wood at Varying Moisture Content. 189

Sharp, R. F.: The Interaction of Fungi, Wood Preservatives and Wood. The Movement of Copper by Hyphae as Observed with a Model Technique. 99

Sinner, M., Simatupang, M. H., and Dietrichs, H. H.: Automated Quantitative Analysis of Wood Carbohydrates by Borate Complex Ion Exchange Chromatography. 307

Szymani, R., and Dickinson, F. E.: Recent Developments in Wood Machining Processes: Novel Cutting Techniques. 113

Letters to the Editor

Maloney, T. M.: Composition Board Industry under Rapid Development despite Material Shortages. 75

IAWS Bulletin Board I, II, III, IV

Book Reviews

Bosshard, H. H.: Holzkunde. Mikroskopie und Makroskopie. 164
Koch, P.: Utilization of the Southern Pines. 80

Author Index

Bariska, M. 153, 293
Barnett, J. R. 233
Bauch, J. 165
Bodig, J. 129
Borgin, K. 87, 207
Bosshard, H. H. 164
Chang, Hou-min 81
Chen, T.-H. 15
Davidson, J. 275
DeBonis, A. L. 129
Dickinson, F. E. 113
Dietrichs, H. H. 307
Fairbridge, C. 257
Faix, O. 207
Foschi, R. O. 243
Gofas, A. 145
Goring, D. A. I. 45
Hyland, F. 175
Karpovich, H. 59, 213
Kirk, T. K. 81
Koch, P. 80
Kübler, H. 15
Kutscha, N. P. 175
Liese, W. 87
Lorenz, L. F. 81
Maddern Harris, J. 233
Maloney, T. M. 75
McKenzie, W. M. 59, 213
Murmanis, L. 3
Musha, Y. 45
Orosz, I. 25
Parameswaran, N. 87, 165
Popper, R. 153
Ranta-Maunus, A. 189
Ross, R. A. 257
Schwarzmann, J. M. 175
Schweers, W. 207
Sharp, R. F. 99
Simatupang, M. H. 307
Sinner, M. 307
Spooner, P. 257
Szymani, R. 113
Tsoumis, G. 145

Indexed in Current Contents

Information for Authors

Original papers describing research in the fields of wood science and technology, including pulping processes and pulp properties, will be considered for publication. Review papers in these areas will also be accepted. Articles must be written in English with consistent use of either American or British spelling. They must represent an original contribution and may not, after acceptance, be submitted for publication elsewhere.

Manuscripts: Manuscripts should be typed with double space and a wide margin. Major and minor headings should be centered on the page and have initial capitals where proper. The title heading should be followed by the author's name and professional affiliation. The complete address of each author is given at the end of the paper. The abstract should present the highlights of the paper in a concise form, suitable for direct use in the abstract literature. Acknowledgements should be made in a footnote to the title heading. Latin names to be printed in italic type should be underlined with a sinuous line.

A total of 20 typewritten pages, including references, tables, captions, appendices or other supplements, should not be exceeded. Longer manuscripts must be rejected.

Literature references: Either one of two reference systems can be used. In the first, each citation is complete, and the reference is by author and year of publication. References are listed alphabetically at the end of the paper according to the first author. Volume number of journals is printed in boldface. Names of journals should be abbreviated according to Chemical Abstracts, Biological Abstracts, or Forestry Abstracts, with preference in this order.

Journal Articles:
Liese, W., Bauch, J. 1967. On the closure of bordered pits in conifers. Wood Sci. Technol. 1: 1—13.

Books:
Wardrop, A. B. 1964. Structure and formation of the cell wall in xylem. In: Zimmermann, M. H. (Ed.): The formation of wood in forest trees. New York: Academic Press, 87-134.

According to the second system references are also introduced by author and year, but the alphabetical reference list may be abbreviated as follows.

Journal Articles:
Liese, W., Bauch, J. 1967. Wood Sci. Technol. 1: 1.

Books:
Wardrop, A. B. 1964. In: Zimmermann, M. H. (Ed.): The formation of wood in forest trees. New York: Academic Press, 87.

Figures: Illustrations are to be restricted to absolutely necessary clarifications of the text. The same information must not be presented in both a table and a figure. Figures are numbered with arabic numerals. Line drawings should, if at all possible, conform to the style of the journal and be done in India ink. Original drawings or photographic copies on glossy paper should be submitted with the manuscript. Letters and numbers must be sufficiently large to be readily legible after reduction to printed size. Photographs and photomicrographs must be printed on high-gloss paper and be rich in contrast. Lettering and other markings can be made by the author, provided they conform to the style of the journal; otherwise this will be done by the editorial office. In the latter case they should be submitted on a cover sheet. The orientation of the illustrations should be indicated. Photomicrographs should have a mark indicating magnification, preferably in micrometer. Only one set of original illustrations has to be submitted. Figure legends should be complete and readily understandable without reference to the text and be typed on a separate page in consecutive order. After publication, original illustrations will be returned to the author.

Proofs and reprints: Galley proofs are sent to the author in duplicates. One copy should be carefully corrected, using internationally accepted symbols. Authors will receive 50 reprints free of charge. Additional reprints will be supplied at cost and should be ordered on the form supplied for this purpose with the galley proofs.

The editorial office requests observance of these guidelines. This facilitates cooperation between authors and editors and helps shorten the period of publication.

Springer-Verlag New York · Heidelberg · Berlin — Mercedes-Druck, Berlin

Wood Science and Technology

Contents Vol. 9 1975 No. 4

Foschi, R. O.	The Light-Gap Technique as a Tool for Measuring Residual Stresses in Bandsaw Blades	243
Fairbridge, C., R. A. Ross, and P. Spooner	A Thermogravimetric Study of the Pyrolysis of the Bark and Chemically-Modified Bark of Jack Pine, Pinus banksiana Lamb.	257
Davidson, J.	Use of Principal Components, Factor Analysis and Varimax Rotation to Describe Variability in Wood of Eucalyptus deglupta Blume	275
Bariska, M.	Collapse Phenomena in Beechwood during and after NH_3-Impregnation	293
Sinner, M., M. H. Simatupang, and H. H. Dietrichs	Automated Quantitative Analysis of Wood Carbohydrates by Borate Complex Ion Exchange Chromatography	307

Indexed in Current Contents

Preview of Vol. 10 1976 No. 1

Bamber, R. K.	Heartwood, its Function and Formation
Cave, I. D.	Modelling the Structure of the Softwood Cell-Wall for Computation of Mechanical Properties
Cousins, W. J.	The Elastic Constants of Lignin
Douek, M., and D. A. I. Goring	Microscopical Studies on the Peroxide Bleaching of Douglas Fir Wood
Kibblewhite, R. P., and D. Brookes	Distributions of Chemical Components in the Walls of Kraft and Bisulphite Pulp Fibres
Okuma, M.	Plywood Properties Influenced by the Glue Line
Rak, J.	Leaching of Toxic Elements from Spruce Treated with Ammoniacal Solutions of Copper-Zinc-Arsenic Preservatives

Springer-Verlag New York Inc., 175 Fifth Avenue, New York, N. Y. 10010
Telephone 673-2660